

[Back](#)

Electron energy spectrum of the non-concentric spherical core-shell quantum dot

[Micro and Nanostructures](#) • Article • 2023 • DOI: 10.1016/j.micrna.2023.207615

[Leshko, R. Ya](#)^a ; [Bilynskiy I.V.](#)^{a,b}; [Leshko O.V.](#)^a; [Slusarenko M.A.](#)^b

^a Physics Department, Drohobych Ivan Franko State Pedagogical University, 3 Stryiska Street, Drohobych, 82100, Ukraine

[Show all information](#)

8 60th percentile

Citations

0.68

FWCI

[Full text](#) [Export](#) [Save to list](#)

[Document](#)

[Impact](#)

[Cited by \(8\)](#)

[References \(22\)](#)

[Similar documents](#)

Abstract

It was suggested the model of the spherical core-shell quantum dot with shifted core from common center. In the paper the effective mass approximation has been used and the Schrödinger equation has been solved by using the plane wave method. The electron energy spectra have been defined as a function of the both core radius and shell radius in the case of shifted core from the spherical center. Also, the dependence of the electron energy spectrum on the core/shell position has been calculated. The splitting of electron energy levels has been analyzed in the cases of different core position. That is why electron energy transitions will be different in comparison to the case of a no-shifted core. © 2023 Elsevier Ltd

Author keywords

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗ [Cookies settings](#)

All content on this site: Copyright © 2026 [Elsevier B.V.](#) ↗, its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the relevant licensing terms apply.

